


EI35-2.5VA TRANSFORMER ADH300 SERIES

FEATURES,

- UL5015-1,-3 Approved:UL File No.E177998
- Class B Insulation System
- Split bobbin Design
- Dielectric Strength 2500Vrms
- Optional Single 115V or Dual 115/230V Primaries at 50/60Hz
- Standard Dual Secondaries
- 5 Standard Sizes for a Variety of Power Application

OUTLINE DIMENSIONS



ELECTRONIC SPECIFICATIONS

Part NO	Input Voltage (V)	Series		Parallel		Rated Power (VA)	Certificate	
		Voltage (Vac)	Current (mA)	Voltage (Vac)	Current (mA)		UL	CE
ADH30010	115V/230V	10	250	5	500	2.5VA	•	
ADH30012	115V/230V	12.6	200	6.3	400	2.5VA	•	
ADH30016	115V/230V	16	150	8	300	2.5VA	•	
ADH30020	115V/230V	20	120	10	240	2.5VA	•	
ADH30024	115V/230V	24	100	12	200	2.5VA	•	
ADH30028	115V/230V	28	85	14	170	2.5VA	•	
ADH30036	115V/230V	36	65	18	130	2.5VA	•	
ADH30048	115V/230V	48	50	24	100	2.5VA	•	
ADH30056	115V/230V	56	45	28	90	2.5VA	•	
ADH300120	115V/230V	120	20	60	40	2.5VA	•	