


## EI41-6.0VA TRANSFORMER AH400 SERIES

### FEATURES,

- UL5015-1,-3 Approved:UL File No.E177998
- Class B Insulation System
- Split bobbin Design
- Dielectric Strength 2500Vrms
- Optional Single 115V or Dual 115/230V Primaries at 50/60Hz
- Standard Dual Secondaries
- 5 Standard Sizes for a Variety of Power Application

### OUTLINE DIMENSIONS



### ELECTRONIC SPECIFICATIONS

Part NO	Input Voltage (V)	Series		Parallel		Rated Power (VA)	Certificate	
		Voltage (Vac)	Current (mA)	Voltage (Vac)	Current (mA)		UL	CE
AH40010	115V	10	600	5	1200	6.0VA	•	
AH40012	115V	12.6	500	6.3	1000	6.0VA	•	
AH40016	115V	16	400	8	800	6.0VA	•	
AH40020	115V	20	300	10	600	6.0VA	•	
AH40024	115V	24	250	12	500	6.0VA	•	
AH40028	115V	28	200	14	400	6.0VA	•	
AH40036	115V	36	170	18	340	6.0VA	•	
AH40048	115V	48	125	24	250	6.0VA	•	
AH40056	115V	56	110	28	220	6.0VA	•	
AH400120	115V	120	50	60	100	6.0VA	•	